

Chapter 6: Classes and Data Abstraction

1

Outline

- 6.1 Introduction
- 6.2 Structure Definitions
- 6.3 Accessing Structure Members
- 6.4 Implementing a User-Defined Type `Time` with a `struct`
- 6.5 Implementing a `Time` Abstract Data Type with a `class`
- 6.6 Class Scope and Accessing Class Members
- 6.7 Separating Interface from Implementation
- 6.8 Controlling Access to Members
- 6.9 Access Functions and Utility Functions
- 6.10 Initializing Class Objects: Constructors
- 6.11 Using Default Arguments with Constructors
- 6.12 Destructors
- 6.13 When Constructors and Destructors Are Called
- 6.14 Using `Set` and `Get` Functions
- 6.15 Subtle Trap: Returning a Reference to a `private` Data Member
- 6.16 Default Memberwise Assignment
- 6.17 Software Reusability

© 2003 Prentice Hall, Inc. All rights reserved.



6.1 Introduction

2

- Object-oriented programming (OOP)
 - Encapsulates data (attributes) and functions (behavior) into packages called classes
- Information hiding
 - Class objects communicate across well-defined interfaces
 - Implementation details hidden within classes themselves
- User-defined (programmer-defined) types: classes
 - Data (data members)
 - Functions (member functions or methods)
 - Similar to blueprints – reusable
 - Class instance: object

© 2003 Prentice Hall, Inc. All rights reserved.



6.2 Structure Definitions

- Structures
 - Aggregate data types built using elements of other types

```

struct Time {
    int hour;
    int minute;
    int second;
};

```

- Structure member naming
 - In same **struct**: must have unique names
 - In different **structs**: can share name
- **struct** definition must end with semicolon



6.2 Structure Definitions

- Self-referential structure
 - Structure member cannot be instance of enclosing **struct**
 - Structure member can be pointer to instance of enclosing **struct** (self-referential structure)
 - Used for linked lists, queues, stacks and trees
- **struct** definition
 - Creates new data type used to declare variables
 - Structure variables declared like variables of other types
 - Examples:
 - `Time timeObject;`
 - `Time timeArray[10];`
 - `Time *timePtr;`
 - `Time &timeRef = timeObject;`



6.3 Accessing Structure Members

- Member access operators
 - Dot operator (.) for structure and class members
 - Arrow operator (->) for structure and class members via pointer to object
 - Print member `hour` of `timeObject`:


```
cout << timeObject.hour;
```

OR

```
timePtr = &timeObject;
cout << timePtr->hour;
```
 - `timePtr->hour` same as `(*timePtr).hour`
 - Parentheses required
 - * lower precedence than .



6.4 Implementing a User-Defined Type `Time` with a `struct`

- Default: structures passed by value
 - Pass structure by reference
 - Avoid overhead of copying structure
- C-style structures
 - No “interface”
 - If implementation changes, all programs using that `struct` must change accordingly
 - Cannot print as unit
 - Must print/format member by member
 - Cannot compare in entirety
 - Must compare member by member



```

1 // Fig. 6.1: fig06_01.cpp
2 // Create a structure, set its members, and print it.
3 #include <iostream>
4
5 using std::cout;
6 using std::endl;
7
8 #include <iomanip>
9
10 using std::setfill;
11 using std::setw;
12
13 // structure definition
14 struct Time {
15     int hour;    // 0-23 (24-hour clock format)
16     int minute; // 0-59
17     int second; // 0-59
18 }; // end struct Time
19
20 void printUniversal( const Time & ); // prototype
21 void printStandard( const Time & ); // prototype
22
23

```

Define structure type **Time** with three integer members.

Pass references to constant **Time** objects to eliminate copying overhead.



Outline

7

fig06_01.cpp
(1 of 3)

© 2003 Prentice Hall, Inc.
All rights reserved.

```

24 int main()
25 {
26     Time dinnerTime; // set members of dinnerTime
27
28     dinnerTime.hour = 18; // set hour member of dinnerTime
29     dinnerTime.minute = 30; // set minute member of dinnerTime
30     dinnerTime.second = 0; // set second member of dinnerTime
31
32     cout << "Dinner will be held at ";
33     printUniversal( dinnerTime );
34     cout << " universal time,\nwhich is ";
35     printStandard( dinnerTime );
36     cout << " standard time.\n";
37
38     dinnerTime.hour = 29; // set hour to invalid value
39     dinnerTime.minute = 73; // set minute to invalid value
40
41     cout << "\nTime with invalid values: ";
42     printUniversal( dinnerTime );
43     cout << endl;
44
45     return 0;
46
47 } // end main
48

```

Use dot operator to initialize structure members.

Direct access to data allows assignment of bad values.





Outline

8

fig06_01.cpp
(2 of 3)

© 2003 Prentice Hall, Inc.
All rights reserved.

9

 Outline


```

49 // print time in universal-time format
50 void printUniversal( const Time &t )
51 {
52     cout << setfill( '0' ) << setw( 2 ) << t.hour << ":"
53         << setw( 2 ) << t.minute << ":"
54         << setw( 2 ) << t.second;
55 } // end function printUniversal
56
57 // print time in standard-time format
58 void printStandard( const Time &t )
59 {
60     cout << ( ( t.hour == 0 || t.hour == 12 ) ?
61             12 : t.hour % 12 ) << ":" << setfill( '0' )
62         << setw( 2 ) << t.minute << ":"
63         << setw( 2 ) << t.second
64         << ( t.hour < 12 ? " AM" : " PM" );
65 } // end function printStandard

```

Dinner will be held at 18:30:00 universal time,
which is 6:30:00 PM standard time.

Time with invalid values: 29:73:00

Use parameterized stream manipulator `setfill`.

Use dot operator to access data members.



fig06_01.cpp
(3 of 3)

© 2003 Prentice Hall, Inc.
All rights reserved.

10

6.5 Implementing a Time Abstract Data Type with a class

- Classes
 - Model objects
 - Attributes (data members)
 - Behaviors (member functions)
 - Defined using keyword **class**
 - Member functions
 - Methods
 - Invoked in response to messages
- Member access specifiers
 - **public:**
 - Accessible wherever object of class in scope
 - **private:**
 - Accessible only to member functions of class
 - **protected:**

© 2003 Prentice Hall, Inc. All rights reserved.  

6.5 Implementing a Time Abstract Data Type with a class

11

- Constructor function
 - Special member function
 - Initializes data members
 - Same name as class
 - Called when object instantiated
 - Several constructors
 - Function overloading
 - No return type

© 2003 Prentice Hall, Inc. All rights reserved.



```
1  class Time {
2
3  public:
4      Time();
5      void setTime( int, int, int );
6      void printUniversal();
7      void printStandard();
8
9  private:
10     int hour;
11     int minute;
12     int second;
13
14 }; // end class Time
```

Definition of class with keyword `class`.

Class body starts with keyword `public`.

Function prototypes for public member functions.

Constructor has same name as class, `Time`, and no return type.

Definition terminates with semicolon.

Class `Time` definition (1 of 1)

Outline

12

© 2003 Prentice Hall, Inc. All rights reserved.

6.5 Implementing a Time Abstract Data Type with a class

- Objects of class
 - After class definition
 - Class name new type specifier
 - C++ extensible language
 - Object, array, pointer and reference declarations
 - Example:

Class name becomes new type specifier.

```
Time sunset; // object of type Time
Time arrayOfTimes[ 5 ]; // array of Time objects
Time *pointerToTime; // pointer to a Time object
Time &dinnerTime = sunset; // reference to a Time object
```



6.5 Implementing a Time Abstract Data Type with a class

- Member functions defined outside class
 - Binary scope resolution operator (::)
 - “Ties” member name to class name
 - Uniquely identify functions of particular class
 - Different classes can have member functions with same name
 - Format for defining member functions


```
Return Type ClassName::MemberFunctionName( ){
    ...
}
```
 - Does not change whether function **public** or **private**
- Member functions defined inside class
 - Do not need scope resolution operator, class name
 - Compiler attempts **inline**
 - Outside class, inline explicitly with keyword **inline**



```

1 // Fig. 6.3: fig06_03.cpp
2 // Time class.
3 #include <iostream>
4
5 using std::cout;
6 using std::endl;
7
8 #include <iomanip>
9
10 using std::setfill;
11 using std::setw;
12
13 // Time abstract data type (ADT) definition
14 class Time {
15
16 public:
17     Time(); // constructor
18     void setTime( int, int, int ); // set hour, minute, second
19     void printUniversal(); // print universal-time format
20     void printStandard(); // print standard-time format
21

```

Define class Time.



```

22 private:
23     int hour; // 0 - 23 (24-hour clock format)
24     int minute; // 0 - 59
25     int second; // 0 - 59
26
27 }; // end class Time
28
29 // Time constructor initializes each data member
30 // ensures all Time objects start in a consistent state
31 Time::Time()
32 {
33     hour = minute = second = 0;
34
35 } // end Time constructor
36
37 // set new Time value using universal time, perform validity
38 // checks on the data values and set invalid values to zero
39 void Time::setTime( int h, int m, int s )
40 {
41     hour = ( h >= 0 && h < 24 ) ? h : 0;
42     minute = ( m >= 0 && m < 60 ) ? m : 0;
43     second = ( s >= 0 && s < 60 ) ? s : 0;
44
45 } // end function setTime
46

```

Constructor initializes private data members to 0.

public member function checks parameter values for validity before setting private data members.




```

47 // print Time in universal format
48 void Time::printUniversal()
49 {
50     cout << setfill( '0' ) << setw( 2 ) << hour << ":"
51         << setw( 2 ) << minute << ":"
52         << setw( 2 ) << second;
53 }
54 // end function printUniversal
55
56 // print Time in standard format
57 void Time::printStandard()
58 {
59     cout << ( ( hour == 0 || hour == 12 ) ? 12 : hour % 12 )
60         << ":" << setfill( '0' ) << setw( 2 ) << minute
61         << ":" << setw( 2 ) << second
62         << ( hour < 12 ? " AM" : " PM" );
63 }
64 // end function printStandard
65
66 int main()
67 {
68     Time t; // instantiate object t of class Time
69 }

```

No arguments (implicitly "know" purpose is to print data members); member function calls more concise.

Declare variable `t` to be object of class `Time`.



```

70 // output Time object t's initial values
71 cout << "The initial universal time is ";
72 t.printUniversal(); // 00:00:00
73
74 cout << "\nThe initial standard time is ";
75 t.printStandard(); // 12:00:00 AM
76
77 t.setTime( 13, 27, 6 ); // change time
78
79 // output Time object t's new values
80 cout << "\n\nUniversal time after setTime: ";
81 t.printUniversal(); // 13:27:06
82
83 cout << "\n\nStandard time after setTime: ";
84 t.printStandard(); // 1:27:06 PM
85
86 t.setTime( 99, 99, 99 ); // attempt invalid settings
87
88 // output t's values after specifying invalid values
89 cout << "\n\nAfter attempting invalid settings: "
90     << "\n\nUniversal time: ";
91 t.printUniversal(); // 00:00:00
92 }

```

Invoke **public** member functions to print time.

Set data members using **public** member function.

Attempt to set data members to invalid values using **public** member function.



```
93     cout << "\nStandard time: ";
94     t.printStandard();    // 12:00:00 AM
95     cout << endl;
96
97     return 0;
98
99 } // end main
```

```
The initial universal time is 00:00:00
The initial standard time is 12:00:00 AM
```

```
Universal time after setTime is 13:27:06
Standard time after setTime is 1:27:06 PM
```

After attempting invalid settings:

```
Universal time: 00:00:00
Standard time: 12:00:00 AM
```

Data members set to 0 after attempting invalid settings.



Outline

19

fig06_03.cpp
(5 of 5)

fig06_03.cpp
output (1 of 1)

© 2003 Prentice Hall, Inc.
All rights reserved.

6.5 Implementing a Time Abstract Data Type with a class

20

- Destructors
 - Same name as class
 - Preceded with tilde (~)
 - No arguments
 - Cannot be overloaded
 - Performs “termination housekeeping”



6.5 Implementing a Time Abstract Data Type with a class

- Advantages of using classes
 - Simplify programming
 - Interfaces
 - Hide implementation
 - Software reuse
 - Composition (aggregation)
 - Class objects included as members of other classes
 - Inheritance
 - New classes derived from old



6.6 Class Scope and Accessing Class Members

- Class scope
 - Data members, member functions
 - Within class scope
 - Class members
 - Immediately accessible by all member functions
 - Referenced by name
 - Outside class scope
 - Referenced through handles
 - Object name, reference to object, pointer to object
- File scope
 - Nonmember functions



6.6 Class Scope and Accessing Class Members

- Function scope
 - Variables declared in member function
 - Only known to function
 - Variables with same name as class-scope variables
 - Class-scope variable “hidden”
 - Access with scope resolution operator (::)
ClassName::classVariableName
 - Variables only known to function they are defined in
 - Variables are destroyed after function completion



6.6 Class Scope and Accessing Class Members

- Operators to access class members
 - Identical to those for **structs**
 - Dot member selection operator (.)
 - Object
 - Reference to object
 - Arrow member selection operator (->)
 - Pointers



```

1 // Fig. 6.4: fig06_04.cpp
2 // Demonstrating the class member access operators . and ->
3 //
4 // CAUTION: IN FUTURE EXAMPLES WE AVOID PUBLIC DATA!
5 #include <iostream>
6
7 using std::cout;
8 using std::endl;
9
10 // class Count definition
11 class Count {
12
13 public:
14     int x;
15
16     void print()
17     {
18         cout << x << endl;
19     }
20
21 }; // end class Count
22

```

Data member **x** **public** to illustrate class member access operators; typically data members **private**.



```

23 int main()
24 {
25     Count counter; // create counter object
26     Count *counterPtr = &counter;
27     Count &counterRef = counter;
28
29     cout << "Assign 1 to x and print using the object's name: 1\n";
30     counter.x = 1; // assign 1 to data member x
31     counter.print(); // call member function print
32
33     cout << "Assign 2 to x and print using a reference: 2\n";
34     counterRef.x = 2; // assign 2 to data member x
35     counterRef.print(); // call member function print
36
37     cout << "Assign 3 to x and print using a pointer: 3\n";
38     counterPtr->x = 3; // assign 3 to data member x
39     counterPtr->print(); // call member function print
40
41     return 0;
42
43 } // end main

```

Use dot member selection operator for **counter**

Use dot member selection operator for **counterRef**

Use arrow member selection operator for **counterPtr**



```

Assign 1 to x and print using the object's name: 1
Assign 2 to x and print using a reference: 2
Assign 3 to x and print using a pointer: 3

```

6.7 Separating Interface from Implementation

- Separating interface from implementation
 - Advantage
 - Easier to modify programs
 - Disadvantage
 - Header files
 - Portions of implementation
 - Inline member functions
 - Hints about other implementation
 - private members
 - Can hide more with proxy class



6.7 Separating Interface from Implementation

- Header files
 - Class definitions and function prototypes
 - Included in each file using class
 - `#include`
 - File extension `.h`
- Source-code files
 - Member function definitions
 - Same base name
 - Convention
 - Compiled and linked



```

1 // Fig. 6.5: time1.h
2 // Declaration of class Time.
3 // Member functions are defined in time1.cpp
4
5 // prevent multiple inclusions of header file
6 #ifndef TIME1_H
7 #define TIME1_H
8
9 // Time abstract class
10 class Time {
11
12 public:
13     Time(); // constructor
14     void setTime( int, int, int ); // set hour, minute, second
15     void printUniversal(); // print universal-time format
16     void printStandard(); // print standard-time format
17
18 private:
19     int hour; // 0 - 23 (24-hour clock format)
20     int minute; // 0 - 59
21     int second; // 0 - 59
22
23 }; // end class Time
24
25 #endif

```

Preprocessor code to prevent multiple inclusions.

Code between these directives

If not defined

Naming convention: header file name with underscore replacing period.



```

1 // Fig. 6.6: time1.cpp
2 // Member-function definitions for class Time.
3 #include <iostream>
4
5 using std::cout;
6
7 #include <iomanip>
8
9 using std::setfill;
10 using std::setw;
11
12 // include definition of class Time from time1.h
13 #include "time1.h"
14
15 // Time constructor initialization
16 // Ensures all Time objects are initialized
17 Time::Time()
18 {
19     hour = minute = second = 0;
20 } // end Time constructor
21
22

```

Include header file time1.h

Name of header file enclosed in quotes; angle brackets cause preprocessor to assume header part of C++ Standard Library.



```
23 // Set new Time value using universal time. Perform validity
24 // checks on the data values. Set invalid values to zero.
25 void Time::setTime( int h, int m, int s )
26 {
27     hour = ( h >= 0 && h < 24 ) ? h : 0;
28     minute = ( m >= 0 && m < 60 ) ? m : 0;
29     second = ( s >= 0 && s < 60 ) ? s : 0;
30
31 } // end function setTime
32
33 // print Time in universal format
34 void Time::printUniversal()
35 {
36     cout << setfill( '0' ) << setw( 2 ) << hour << ":"
37         << setw( 2 ) << minute << ":"
38         << setw( 2 ) << second;
39
40 } // end function printUniversal
41
```



```
42 // print Time in standard format
43 void Time::printStandard()
44 {
45     cout << ( ( hour == 0 || hour == 12 ) ? 12 : hour % 12 )
46         << ":" << setfill( '0' ) << setw( 2 ) << minute
47         << ":" << setw( 2 ) << second
48         << ( hour < 12 ? " AM" : " PM" );
49
50 } // end function printStandard
```




```

1 // Fig. 6.7: fig06_07.cpp
2 // Program to test class Time.
3 // NOTE: This file must be compiled with time1.cpp.
4 #include <iostream>
5
6 using std::cout;
7 using std::endl;
8
9 // include definition of class Time
10 #include "time1.h"
11
12 int main()
13 {
14     Time t; // instantiate object t of class Time
15
16     // output Time object t's initial values
17     cout << "The initial universal time is ";
18     t.printUniversal(); // 00:00:00
19     cout << "\nThe initial standard time is ";
20     t.printStandard(); // 12:00:00 AM
21
22     t.setTime( 13, 27, 6 ); // change time
23

```

Include header file `time1.h` to ensure correct creation/manipulation and determine size of `Time` class object.



```

24 // output Time object t's new values
25 cout << "\n\nUniversal time after setTime is ";
26 t.printUniversal(); // 13:27:06
27 cout << "\n\nStandard time after setTime is ";
28 t.printStandard(); // 1:27:06 PM
29
30 t.setTime( 99, 99, 99 ); // attempt invalid settings
31
32 // output t's values after specifying invalid values
33 cout << "\n\nAfter attempting invalid settings:"
34     << "\n\nUniversal time: ";
35 t.printUniversal(); // 00:00:00
36 cout << "\n\nStandard time: ";
37 t.printStandard(); // 12:00:00 AM
38 cout << endl;
39
40 return 0;
41
42 } // end main

```

```

The initial universal time is 00:00:00
The initial standard time is 12:00:00 AM

Universal time after setTime is 13:27:06
Standard time after setTime is 1:27:06 PM

```



6.8 Controlling Access to Members

- Access modes
 - **private**
 - Default access mode
 - Accessible to member functions and **friends**
 - **public**
 - Accessible to any function in program with handle to class object
 - **protected**
 - Chapter 9



```

1 // Fig. 6.8: fig06_08.cpp
2 // Demonstrate errors resulting from attempts
3 // to access private class members.
4 #include <iostream>
5
6 using std::cout;
7
8 // include definition of class Time from time1.h
9 #include "time1.h"
10
11 int main()
12 {
13     Time t; // create Time object
14
15     t.hour = 7; // error: 'Time::hour' is not accessible
16
17     // error: 'Time::minute' is not accessible
18     cout << "minute = " << t.minute;
19
20
21     return 0;
22 } // end main

```

Recall data member **hour** is **private**; attempts to access **private** members produces error.

Data member **minute** also **private**; attempts to access **private** members produces error.



D:\cphttp4_examples\ch06\Fig6_06\Fig06_06.cpp(16) : error C2248:
'hour' : cannot access private member declared in class 'Time'
D:\cphttp4_examples\ch06\Fig6_06\Fig06_06.cpp(19) : error C2248:
'minute' : cannot access private member declared in class 'Time'

37

Outline

fig06_08.cpp
output (1 of 1)

Errors produced by attempting to access **private** members.

© 2003 Prentice Hall, Inc.
All rights reserved.

6.8 Controlling Access to Members

- Class member access
 - Default **private**
 - Explicitly set to **private**, **public**, **protected**
- **struct** member access
 - Default **public**
 - Explicitly set to **private**, **public**, **protected**
- Access to class's **private** data
 - Controlled with access functions (accessor methods)
 - Get function
 - Read **private** data
 - Set function
 - Modify **private** data

© 2003 Prentice Hall, Inc. All rights reserved.

6.9 Access Functions and Utility Functions

- Access functions
 - **public**
 - Read/display data
 - Predicate functions
 - Check conditions
- Utility functions (helper functions)
 - **private**
 - Support operation of **public** member functions
 - Not intended for direct client use



```

1 // Fig. 6.9: salesp.h
2 // SalesPerson class definition.
3 // Member functions defined in salesp.cpp.
4 #ifndef SALESP_H
5 #define SALESP_H
6
7 class SalesPerson {
8
9 public:
10     SalesPerson(); // construct validity checks.
11     void getSalesFromUser(); // input sales from keyboard
12     void setSales( int, double ); // set sales
13     void printAnnualSales(); // summarize
14
15 private:
16     double totalAnnualSales(); // utility function
17     double sales[ 12 ]; // 12 monthly sales figures
18
19 }; // end class SalesPerson
20
21 #endif

```

Outline

salesp.h (1 of 1)

40

Set access function performs validity checks.

private utility function.

© 2003 Prentice Hall, Inc. All rights reserved.

```

1 // Fig. 6.10: salesp.cpp
2 // Member functions for class SalesPerson.
3 #include <iostream>
4
5 using std::cout;
6 using std::cin;
7 using std::endl;
8 using std::fixed;
9
10 #include <iomanip>
11
12 using std::setprecision;
13
14 // include SalesPerson class definition from salesp.h
15 #include "salesp.h"
16
17 // initialize elements of array sales to 0.0
18 SalesPerson::SalesPerson()
19 {
20     for ( int i = 0; i < 12; i++ )
21         sales[ i ] = 0.0;
22 } // end SalesPerson constructor
23
24

```



```

25 // get 12 sales figures from the user at the keyboard
26 void SalesPerson::getSalesFromUser()
27 {
28     double salesFigure;
29
30     for ( int i = 1; i <= 12; i++ ) {
31         cout << "Enter sales amount for month " << i << " ";
32         cin >> salesFigure;
33         setSales( i, salesFigure );
34     } // end for
35 } // end function getSalesFromUser
36
37
38
39 // set one of the 12 monthly sales figures
40 // one from month value for proper subscript
41 void SalesPerson::setSales( int month, double amount )
42 {
43     // test for valid month and amount values
44     if ( month >= 1 && month <= 12 && amount > 0 )
45         sales[ month - 1 ] = amount; // adjust for subscripts 0-11
46
47     else // invalid month or amount value
48         cout << "Invalid month or sales figure" << endl;

```



Set access function performs validity checks.

```

49
50 } // end function setSales
51
52 // print total annual sales (with help of utility function)
53 void SalesPerson::printAnnualSales()
54 {
55     cout << setprecision( 2 ) << fixed
56         << "\nThe total annual sales are: $"
57         << totalAnnualSales() << endl; // call utility function
58 }
59 // end function printAnnualSales
60
61 // private utility function to total annual sales
62 double SalesPerson::totalAnnualSales()
63 {
64     double total = 0.0;           // initialize total
65
66     for ( int i = 0; i < 12; i++ ) // summarize sales results
67         total += sales[ i ];
68
69     return total;
70 }
71 // end function totalAnnualSales

```



private utility function to help function printAnnualSales; encapsulates logic of manipulating sales array.

```

1 // Fig. 6.11: fig06_11.cpp
2 // Demonstrating a utility function.
3 // Compile this program with salesp.cpp
4
5 // include SalesPerson class definition from salesp.h
6 #include "salesp.h"
7
8 int main()
9 {
10     SalesPerson s;           // create SalesPerson object
11
12     s.getSalesFromUser(); // note simple sequential code; no
13     s.printAnnualSales(); // control structures in main
14
15     return 0;
16 }
17 // end main

```



Simple sequence of member function calls; logic encapsulated in member functions.

```
Enter sales amount for month 1: 5314.76
Enter sales amount for month 2: 4292.38
Enter sales amount for month 3: 4589.83
Enter sales amount for month 4: 5534.03
Enter sales amount for month 5: 4376.34
Enter sales amount for month 6: 5698.45
Enter sales amount for month 7: 4439.22
Enter sales amount for month 8: 5893.57
Enter sales amount for month 9: 4909.67
Enter sales amount for month 10: 5123.45
Enter sales amount for month 11: 4024.97
Enter sales amount for month 12: 5923.92

The total annual sales are: $60120.59
```



6.10 Initializing Class Objects: Constructors

- **Constructors**
 - Initialize data members
 - Or can set later
 - Same name as class
 - No return type
- **Initializers**
 - Passed as arguments to constructor
 - In parentheses to right of class name before semicolon
Class-type ObjectName(value1,value2,...);



6.11 Using Default Arguments with Constructors

- Constructors
 - Can specify default arguments
 - Default constructors
 - Defaults all arguments
 - OR
 - Explicitly requires no arguments
 - Can be invoked with no arguments
 - Only one per class



```

1 // Fig. 6.12: time2.h
2 // Declaration of class Time.
3 // Member functions defined in time2.cpp.
4
5 // prevent multiple inclusions of header file
6 #ifndef TIME2_H
7 #define TIME2_H
8
9 // Time abstract data type definition
10 class Time {
11
12 public:
13     Time( int = 0, int = 0, int = 0 ); // default constructor
14     void setTime( int, int, int ); // set hour, minute, second
15     void printUniversal(); // print universal-time format
16     void printStandard(); // print standard-time format
17
18 private:
19     int hour; // 0 - 23 (24-hour clock format)
20     int minute; // 0 - 59
21     int second; // 0 - 59
22
23 }; // end class Time
24
25 #endif

```

Default constructor
specifying all arguments.



Outline

time2.h (1 of 1)


```

1 // Fig. 6.13: time2.cpp
2 // Member-function definitions for class Time.
3 #include <iostream>
4
5 using std::cout;
6
7 #include <iomanip>
8
9 using std::setfill;
10 using std::setw;
11
12 // include definition of class Time from time2.h
13 #include "time2.h"
14
15 // Time constructor initializes each data member to zero;
16 // ensures all Time objects start in a consistent state
17 Time::Time( int hr, int min, int sec )
18 {
19     setTime( hr, min, sec ); // validate and set time
20
21 } // end Time constructor
22

```

Constructor calls **setTime** to validate passed (or default) values.



```

23 // set new Time value using universal time, perform validity
24 // checks on the data values and set invalid values to zero
25 void Time::setTime( int h, int m, int s )
26 {
27     hour = ( h >= 0 && h < 24 ) ? h : 0;
28     minute = ( m >= 0 && m < 60 ) ? m : 0;
29     second = ( s >= 0 && s < 60 ) ? s : 0;
30
31 } // end function setTime
32
33 // print Time in universal format
34 void Time::printUniversal()
35 {
36     cout << setfill( '0' ) << setw( 2 ) << hour << ":"
37         << setw( 2 ) << minute << ":"
38         << setw( 2 ) << second;
39
40 } // end function printUniversal
41

```



```

42 // print Time in standard format
43 void Time::printStandard()
44 {
45     cout << ( ( hour == 0 || hour == 12 ) ? 12 : hour % 12 )
46     << ":" << setfill( '0' ) << setw( 2 ) << minute
47     << ":" << setw( 2 ) << second
48     << ( hour < 12 ? " AM" : " PM" );
49
50 } // end function printStandard

```



```

1 // Fig. 6.14: fig06_14.cpp
2 // Demonstrating a default constructor for class Time.
3 #include <iostream>
4
5 using std::cout;
6 using std::endl;
7
8 // include definition of class Time from time2.h
9 #include "time2.h"
10
11 int main()
12 {
13     Time t1; // all arguments defaulted
14     Time t2( 2 ); // minute and second defaulted
15     Time t3( 21, 34 ); // second defaulted
16     Time t4( 12, 25, 42 ); // all values specified
17     Time t5( 27, 74, 99 ); // all bad values specified
18
19     cout << "Constructed with:\n\n"
20     << "all default arguments:\n ";
21     t1.printUniversal(); // 00:00:00
22     cout << "\n ";
23     t1.printStandard(); // 12:00:00 AM
24

```



Initialize **Time** objects using default arguments.

Initialize **Time** object with invalid values; validity checking will set values to 0.

```

25  cout << "\n\nhour specified; default minute and second:\n ";
26  t2.printUniversal(); // 02:00:00
27  cout << "\n ";
28  t2.printStandard(); // 2:00:00 AM
29
30  cout << "\n\nhour and minute specified; default second:\n ";
31  t3.printUniversal(); // 21:34:00
32  cout << "\n ";
33  t3.printStandard(); // 9:34:00 PM
34
35  cout << "\n\nhour, minute, and second specified:\n ";
36  t4.printUniversal(); // 12:25:42
37  cout << "\n ";
38  t4.printStandard(); // 12:25:42 PM
39
40  cout << "\n\nall invalid values specified:\n ";
41  t5.printUniversal(); // 00:00:00
42  cout << "\n ";
43  t5.printStandard(); // 12:00:00 AM
44  cout << endl;
45
46  return 0;
47
48 } // end main

```



t5 constructed with invalid arguments; values set to 0.

```

Constructed with:

all default arguments:
00:00:00
12:00:00 AM

hour specified; default minute and second:
02:00:00
2:00:00 AM

hour and minute specified; default second:
21:34:00
9:34:00 PM

hour, minute, and second specified:
12:25:42
12:25:42 PM

all invalid values specified:
00:00:00
12:00:00 AM

```



6.12 Destructors

- Destructors
 - Special member function
 - Same name as class
 - Preceded with tilde (~)
 - No arguments
 - No return value
 - Cannot be overloaded
 - Performs “termination housekeeping”
 - Before system reclaims object’s memory
 - Reuse memory for new objects
 - No explicit destructor
 - Compiler creates “empty” destructor”



6.13 When Constructors and Destructors Are Called

- Constructors and destructors
 - Called implicitly by compiler
- Order of function calls
 - Depends on order of execution
 - When execution enters and exits scope of objects
 - Generally, destructor calls reverse order of constructor calls



6.13 When Constructors and Destructors Are Called

- Order of constructor, destructor function calls
 - Global scope objects
 - Constructors
 - Before any other function (including **main**)
 - Destructors
 - When **main** terminates (or **exit** function called)
 - Not called if program terminates with **abort**
 - Automatic local objects
 - Constructors
 - When objects defined
 - Each time execution enters scope
 - Destructors
 - When objects leave scope
 - Execution exits block in which object defined
 - Not called if program ends with **exit** or **abort**



6.13 When Constructors and Destructors Are Called

- Order of constructor, destructor function calls
 - **static** local objects
 - Constructors
 - Exactly once
 - When execution reaches point where object defined
 - Destructors
 - When **main** terminates or **exit** function called
 - Not called if program ends with **abort**



```

1 // Fig. 6.15: create.h
2 // Definition of class CreateAndDestroy.
3 // Member functions defined in create.cpp.
4 #ifndef CREATE_H
5 #define CREATE_H
6
7 class CreateAndDestroy {
8
9 public:
10  CreateAndDestroy( int, char * ); // constructor
11  ~CreateAndDestroy();
12
13 private:
14  int objectID;
15  char *message;
16
17 }; // end class CreateAndDestroy
18
19 #endif

```

Constructor and destructor member functions.

private members to show order of constructor, destructor function calls.

```

1 // Fig. 6.16: create.cpp
2 // Member-function definitions for class CreateAndDestroy
3 #include <iostream>
4
5 using std::cout;
6 using std::endl;
7
8 // include CreateAndDestroy class definition from create.h
9 #include "create.h"
10
11 // constructor
12 CreateAndDestroy::CreateAndDestroy(
13     int objectNumber, char *messagePtr )
14 {
15     objectID = objectNumber;
16     message = messagePtr;
17
18     cout << "Object " << objectID << " constructor runs "
19         << message << endl;
20
21 } // end CreateAndDestroy constructor
22

```

Output message to demonstrate timing of constructor function calls.

```

23 // destructor
24 CreateAndDestroy::~CreateAndDestroy()
25 {
26     // the following line is for pedagogy
27     cout << ( objectID == 1 || objectID == 2 ) << endl;
28
29     cout << "Object " << objectID << " destructor runs "
30         << message << endl;
31
32 } // end ~CreateAndDestroy destructor

```

Output message to demonstrate timing of destructor function calls.



Outline

61

create.cpp (2 of 2)

© 2003 Prentice Hall, Inc.
All rights reserved.

```

1 // Fig. 6.17: fig06_17.cpp
2 // Demonstrating the order in which constructors and
3 // destructors are called.
4 #include <iostream>
5
6 using std::cout;
7 using std::endl;
8
9 // include CreateAndDestroy class definition from create.h
10 #include "create.h"
11
12 void create( void ); // prototype
13
14 // global object
15 CreateAndDestroy first( 1, "(global before main)" );
16
17 int main()
18 {
19     cout << "\nMAIN FUNCTION: EXECUTION" << endl;
20
21     CreateAndDestroy second( 2, "(local automatic in main)" );
22
23     static CreateAndDestroy third(
24         3, "(local static in main)" );
25

```

Create variable with global scope.

Create local automatic object.

Create static local object.



Outline

62

fig06_17.cpp
(1 of 3)

© 2003 Prentice Hall, Inc.
All rights reserved.

```
26 create(); // call function to create objects
27
28 cout << "\nMAIN FUNCTION: EXECUTION RESUMES" << endl;
29
30 CreateAndDestroy fourth( " );
31
32 cout << "\nMAIN FUNCTION: EXECUTION ENDS" << endl;
33
34 return 0;
35
36 } // end main
37
38 // function to create objects
39 void create( void )
40 {
41     cout << "\nCREATE FUNCTION: EXECUTION BEGINS" << endl;
42
43     CreateAndDestroy fifth( " );
44
45     static CreateAndDestroy sixth( " );
46     CreateAndDestroy seventh( " );
47
48     CreateAndDestroy eighth( " );
49
50 }
```

Create local automatic objects.

Create local automatic object.

Create local automatic object in function.

Create static local object in function.

Create local automatic object in function.



Outline


fig06_17.cpp (2 of 3)

```
51 cout << "\nCREATE FUNCTION: EXECUTION ENDS\n" << endl;
52
53 } // end function create
```



Outline

fig06_17.cpp (3 of 3)



66

6.14 Using Set and Get Functions

- Set functions
 - Perform validity checks before modifying **private** data
 - Notify if invalid values
 - Indicate with return values
- Get functions
 - “Query” functions
 - Control format of data returned

© 2003 Prentice Hall, Inc. All rights reserved.

```

1 // Fig. 6.18: time3.h
2 // Declaration of class Time.
3 // Member functions defined in time3.cpp
4
5 // prevent multiple inclusions of header file
6 #ifndef TIME3_H
7 #define TIME3_H
8
9 class Time {
10
11 public:
12     Time( int = 0, int = 0, int = 0 ); // default constructor
13
14     // set functions
15     void setTime( int, int, int ); // set hour, minute, second
16     void setHour( int ); // set hour
17     void setMinute( int ); // set minute
18     void setSecond( int ); // set second
19
20     // get functions
21     int getHour(); // return hour
22     int getMinute(); // return minute
23     int getSecond(); // return second
24

```



Set functions.

Get functions.

```

25     void printUniversal(); // output universal-time format
26     void printStandard(); // output standard-time format
27
28 private:
29     int hour; // 0 - 23 (24-hour clock format)
30     int minute; // 0 - 59
31     int second; // 0 - 59
32
33 }; // end clas Time
34
35 #endif

```



```

1 // Fig. 6.19: time3.cpp
2 // Member-function definitions for Time class.
3 #include <iostream>
4
5 using std::cout;
6
7 #include <iomanip>
8
9 using std::setfill;
10 using std::setw;
11
12 // include definition of class Time from time3.h
13 #include "time3.h"
14
15 // constructor function to initialize private data;
16 // calls member function setTime to set variables;
17 // default values are 0 (see class definition)
18 Time::Time( int hr, int min, int sec )
19 {
20     setTime( hr, min, sec );
21 }
22 // end Time constructor
23

```



```

24 // set hour, minute and second values
25 void Time::setTime( int h, int m, int s )
26 {
27     setHour( h );
28     setMinute( m );
29     setSecond( s );
30 }
31 // end function setTime
32
33 // set hour value
34 void Time::setHour( int h )
35 {
36     hour = ( h >= 0 && h < 24 ) ? h : 0;
37 }
38 // end function setHour
39
40 // set minute value
41 void Time::setMinute( int m )
42 {
43     minute = ( m >= 0 && m < 60 ) ? m : 0;
44 }
45 // end function setMinute
46

```

Call set functions to perform validity checking.

Set functions perform validity checks before modifying data.



```

47 // set second value
48 void Time::setSecond( int s )
49 {
50     second = ( s >= 0 && s < 60 ) ? s : 0;
51
52 } // end function setSecond
53
54 // return hour value
55 int Time::getHour()
56 {
57     return hour;
58
59 } // end function getHour
60
61 // return minute value
62 int Time::getMinute()
63 {
64     return minute;
65
66 } // end function getMinute
67

```

Set function performs validity checks before modifying data.

Get functions allow client to read data.



Outline

71

time3.cpp (3 of 4)

© 2003 Prentice Hall, Inc.
All rights reserved.

```

68 // return second value
69 int Time::getSecond()
70 {
71     return second;
72
73 } // end function getSecond
74
75 // print Time in universal format
76 void Time::printUniversal()
77 {
78     cout << setfill( '0' ) << setw( 2 ) << hour << ":"
79         << setw( 2 ) << minute << ":"
80         << setw( 2 ) << second;
81
82 } // end function printUniversal
83
84 // print Time in standard format
85 void Time::printStandard()
86 {
87     cout << ( ( hour == 0 || hour == 12 ) ? 12 : hour % 12 )
88         << ":" << setfill( '0' ) << setw( 2 ) << minute
89         << ":" << setw( 2 ) << second
90         << ( hour < 12 ? " AM" : " PM" );
91
92 } // end function printStandard

```

Get function allows client to read data.



Outline

72

time3.cpp (4 of 4)

© 2003 Prentice Hall, Inc.
All rights reserved.

```

1 // Fig. 6.20: fig06_20.cpp
2 // Demonstrating the Time class set and get functions
3 #include <iostream>
4
5 using std::cout;
6 using std::endl;
7
8 // include definition of class Time from time3.h
9 #include "time3.h"
10
11 void incrementMinutes( Time &, const int ); // prototype
12
13 int main()
14 {
15     Time t; // create Time object
16
17     // set time using individual set functions
18     t.setHour( 17 ); // set hour to valid value
19     t.setMinute( 34 ); // set minute to valid value
20     t.setSecond( 25 ); // set second to valid value
21

```

Invoke set functions to set valid values.



```

22 // use get functions to obtain hour, minute and second
23 cout << "Result of setting all valid values:\n"
24     << " Hour: " << t.getHour()
25     << " Minute: " << t.getMinute()
26     << " Second: " << t.getSecond();
27
28 // set time using individual set functions
29 t.setHour( 234 ); // invalid hour set to 0
30 t.setMinute( 43 ); // set minute to valid value
31 t.setSecond( 6373 ); // invalid second set to 0
32
33 // display hour, minute and second after setting
34 // invalid hour and second values
35 cout << "\n\nResult of attempting to set invalid h...
36     << " second:\n Hour: " << t.getHour()
37     << " Minute: " << t.getMinute()
38     << " Second: " << t.getSecond() << "\n\n";
39
40 t.setTime( 11, 58, 0 ); // set time
41 incrementMinutes( t, 3 ); // increment t's minute by 3
42
43 return 0;
44
45 } // end main
46

```

Attempt to set invalid values using set functions.

Invalid values result in setting data members to 0.

Modify data members using function setTime.



```
47 // add specified number of minutes to a Time object
48 void incrementMinutes( Time &tt, const int count )
49 {
50     cout << "Incrementing minute " << count
51         << " times:\nStart time: ";
52     tt.printStandard();
53
54     for ( int i = 0; i < count; i++ ) {
55         tt.setMinute( ( tt.getMinute() + 1 ) % 60 );
56
57         if ( tt.getMinute() == 0 )
58             tt.setHour( ( tt.getHour() + 1 ) % 24 );
59
60         cout << "\nminute + 1: ";
61         tt.printStandard();
62     } // end for
63
64     cout << endl;
65 } // end function incrementMinutes
```



fig06_20.cpp

Using get functions to read data and set functions to modify data.

```
Result of setting all valid values:
Hour: 17 Minute: 34 Second: 25

Result of attempting to set invalid hour and second:
Hour: 0 Minute: 43 Second: 0

Incrementing minute 3 times:
Start time: 11:58:00 AM
minute + 1: 11:59:00 AM
minute + 1: 12:00:00 PM
minute + 1: 12:01:00 PM
```



fig06_20.cpp
output (1 of 1)

Attempting to set data members with invalid values results in error message and members set to 0.

6.15 Subtle Trap: Returning a Reference to a private Data Member

- Reference to object
 - Alias for name of object
 - Lvalue
 - Can receive value in assignment statement
 - Changes original object
- Returning references
 - **public** member functions can return non-**const** references to **private** data members
 - Client able to modify **private** data members



```

1 // Fig. 6.21: time4.h
2 // Declaration of class Time.
3 // Member functions defined in time4.cpp
4
5 // prevent multiple inclusions of header file
6 #ifndef TIME4_H
7 #define TIME4_H
8
9 class Time {
10
11 public:
12     Time( int = 0, int = 0, int = 0 );
13     void setTime( int, int, int );
14     int getHour();
15
16     int &badSetHour( int ); // DANGEROUS reference return
17
18 private:
19     int hour;
20     int minute;
21     int second;
22
23 }; // end class Time
24
25 #endif

```

Function to demonstrate effects of returning reference to **private** data member.



```

1 // Fig. 6.22: time4.cpp
2 // Member-function definitions for Time class.
3
4 // include definition of class Time from time4.h
5 #include "time4.h"
6
7 // constructor function to initialize private data;
8 // calls member function setTime to set variables;
9 // default values are 0 (see class definition)
10 Time::Time( int hr, int min, int sec )
11 {
12     setTime( hr, min, sec );
13 }
14 // end Time constructor
15
16 // set values of hour, minute and second
17 void Time::setTime( int h, int m, int s )
18 {
19     hour = ( h >= 0 && h < 24 ) ? h : 0;
20     minute = ( m >= 0 && m < 60 ) ? m : 0;
21     second = ( s >= 0 && s < 60 ) ? s : 0;
22 }
23 // end function setTime
24

```



```

25 // return hour value
26 int Time::getHour()
27 {
28     return hour;
29 }
30 // end function getHour
31
32 // POOR PROGRAMMING PRACTICE:
33 // Returning a reference to a private data member
34 int &Time::badSetHour( int hh )
35 {
36     hour = ( hh >= 0 && hh < 24 ) ? hh : 0;
37     return hour; // DANGEROUS reference return
38 }
39
40 // end function badSetHour

```

Return reference to private data member hour.



81
Outline

```

1 // Fig. 6.23: fig06_23.cpp
2 // Demonstrating a public member function that
3 // returns a reference to a private data member.
4 #include <iostream>
5
6 using std::cout;
7 using std::endl;
8
9 // include definition of class Time from time4.h
10 #include "time4.h"
11
12 int main()
13 {
14     Time t;
15
16     // store in hourRef the reference returned by badSet
17     int &hourRef = t.badSetHour( 20 );
18
19     cout << "Hour before modification: " << t.getHour();
20
21     // use hourRef to set invalid
22     hourRef = 30;
23
24     cout << "\nHour after modification: " << t.getHour();
25

```

badSetHour returns reference to private data member hour.

Reference allows setting of private data member hour.

fig06_23.cpp
(1 of 2)

© 2003 Prentice Hall, Inc.
All rights reserved.

82
Outline

```

26 // Dangerous: Function call that returns
27 // a reference can be used as an lvalue!
28 t.badSetHour( 12 ) = 74;
29
30 cout << "\n\n*****"
31 << "POOR PROGRAMMING PRACTICE!!!!!!!"
32 << "badSetHour as an lvalue, Hour: 74"
33 << t.getHour()
34 << "\n\n*****" << endl;
35
36 return 0;
37
38 } // end main

```

Can use function call as lvalue to set invalid value.

Returning reference allowed invalid setting of private data member hour.

```

Hour before modification: 20
Hour after modification: 30

*****
POOR PROGRAMMING PRACTICE!!!!!!!
badSetHour as an lvalue, Hour: 74
*****

```

fig06_23.cpp
(2 of 2)

fig06_23.cpp
output (1 of 1)

© 2003 Prentice Hall, Inc.
All rights reserved.

6.16 Default Memberwise Assignment

- Assigning objects
 - Assignment operator (=)
 - Can assign one object to another of same type
 - Default: memberwise assignment
 - Each right member assigned individually to left member
- Passing, returning objects
 - Objects passed as function arguments
 - Objects returned from functions
 - Default: pass-by-value
 - Copy of object passed, returned
 - Copy constructor
 - Copy original values into new object



```

1 // Fig. 6.24: fig06_24.cpp
2 // Demonstrating that class objects can be assigned
3 // to each other using default memberwise assignment.
4 #include <iostream>
5
6 using std::cout;
7 using std::endl;
8
9 // class Date definition
10 class Date {
11
12 public:
13     Date( int = 1, int = 1, int = 1990 ); // default constructor
14     void print();
15
16 private:
17     int month;
18     int day;
19     int year;
20
21 }; // end class Date
22

```



```

23 // Date constructor with no range checking
24 Date::Date( int m, int d, int y )
25 {
26     month = m;
27     day = d;
28     year = y;
29
30 } // end Date constructor
31
32 // print Date in the format mm-dd-yyyy
33 void Date::print()
34 {
35     cout << month << '-' << day << '-' << year;
36
37 } // end function print
38
39 int main()
40 {
41     Date date1( 7, 4, 2002 );
42     Date date2; // date2 defaults to 1/1/1990
43

```



```

44     cout << "date1 = ";
45     date1.print();
46     cout << "\n";
47     date2.print();
48
49     date2 = date1; // default memberwise assignment
50
51     cout << "\n\nAfter default memberwise assignment, date2 = ";
52     date2.print();
53     cout << endl;
54
55     return 0;
56
57 } // end main

```

Default memberwise assignment assigns each member of **date1** individually to each member of **date2**.



```

date1 = 7-4-2002
date2 = 1-1-1990

After default memberwise assignment, date2 = 7-4-2002

```

6.17 Software Reusability

- Software reusability
 - Class libraries
 - Well-defined
 - Carefully tested
 - Well-documented
 - Portable
 - Widely available
 - Speeds development of powerful, high-quality software
 - Rapid applications development (RAD)
 - Resulting problems
 - Cataloging schemes
 - Licensing schemes
 - Protection mechanisms

