

Candidato: ROBERTO MUSSA

ELENCO COMPLETO DELLE PUBBLICAZIONI

Riferimenti bibliografici

- [1] C.Baglin *et al.*,
“Measurement of the $\phi\phi$ cross section in $p\bar{p}$ annihilations at $E_{cm}=3$ GeV”,
Phys.Lett. B231(1989),557
- [2] C.Baglin *et al.*,
“Measurement of the $\pi^0\pi^0$ cross section in $p\bar{p}$ annihilations reactions
at $\sqrt{s}=3.0$ GeV”, Nucl.Phys. B368(1992),175
- [3] C.Biino *et al.*,
“Proposal to the SPSC - Study of Beauty Physics at the SPS-Collider with real-time
use of silicon microvertex information”, CERN-SPSC/88-33
- [4] C.Biino *et al.*,
“Addendum to Proposal P238: Measurement of B_s Mixing”, CERN-SPSC/89-43
- [5] C.Biino *et al.*,
“Addendum to Proposal P238: Request for Collider Test of Silicon Microvertex
Detector”, CERN-SPSC/89-55
- [6] C.Biino *et al.*,
“Charge division in a small proportional chamber constructed with aluminized mylar
tubes”, NIM A271(1988),417
- [7] C.Biino *et al.*,
“A very light proportional chamber constructed with aluminized mylar tubes for drift
time and charge division read-out's”, IEEE Trans. on Nucl.Sci. 36-1(1989),98
- [8] C.Biino *et al.*,
“A glass spherical Cerenkov counter based on total internal reflection”,
NIM A295(1990),102
- [9] C.Biino *et al.*,
“A Large Acceptance Threshold Cherenkov Counter for Experiment 760
at Fermilab”, NIM A317(1992),135
- [10] T.Armstrong *et al.*,
“Study of the χ_1 and χ_2 charmonium states formed in $p\bar{p}$ annihilations”,
Nucl.Phys. B373(1992),35
- [11] T.Armstrong *et al.*,
“Precision measurements of charmonium states formed in $p\bar{p}$ annihilation”,
Phys.Rev.Lett. 68(1992),1468

- [12] T.Armstrong *et al.*,
“Recent results from Fermilab experiment 760: Charmonium formation by $p\bar{p}$ annihilation”, Sov.J.Nucl.Phys. 55(1992),811
- [13] T.Armstrong *et al.*,
“A new measurement of the proton electromagnetic form factor in the time like region at high energy”, Sov.J.Nucl.Phys. 55(1992),865
- [14] T.Armstrong *et al.*,
“Observation of the 1P_1 state of Charmonium”,
Phys.Rev.Lett. 69(1992),2337
- [15] T.Armstrong *et al.*,
“Measurement of the J/ψ and ψ' Resonance Parameters in $p\bar{p}$ Annihilation”,
Phys.Rev.D 47(1993),772
- [16] T.Armstrong *et al.*,
“Proton electromagnetic form factors in the time-like region at 8.9 to 13.0 GeV²”
Phys.Rev.Lett. 70(1993),1212
- [17] T.Armstrong *et al.*,
“Evidence for $\eta\eta$ resonances in antiproton-proton annihilations
at $2950 < \sqrt{s} < 3620$ MeV”, Phys.Lett. B307(1993),394
- [18] T.Armstrong *et al.*,
“Production of the $f_2(1520)$ resonance in antiproton-proton annihilations
at $\sqrt{s} = 2980$ and 3526 MeV”, Phys.Lett. B307(1993),399
- [19] T.Armstrong *et al.*,
“Measurement of the $\gamma\gamma$ partial width of the χ_2 charmonium resonance”,
Phys.Rev.Lett. 70(1993),2988
- [20] T.Armstrong *et al.*,
“Study of the angular distribution of the reaction $\bar{p}p \rightarrow \chi_{c2} \rightarrow J/\psi \gamma \rightarrow e^+e^-\gamma$ ”,
Phys.Rev.D 48(1993),3037
- [21] T.Armstrong *et al.*,
“Charmonium Formation in $p\bar{p}$ Annihilation by Experiment E760”,
Nucl.Phys. A558(1993),259c
- [22] T.Armstrong *et al.* (for the E760 collaboration),
“Light-Quark Meson Spectroscopy”,
Phys. At. Nucl. 59 (1996),1366-1370.
- [23] T.Armstrong *et al.*,
“Study of the η_c (S wave singlet) state of charmonium formed in $p\bar{p}$ annihilation and
a search for η'_c ”, Phys.Rev.D52:4839-4854,1995.
- [24] T.Armstrong *et al.*,
“Observation of the Radiative Decay $J/\psi \rightarrow e^+e^-\gamma$ ”,
Phys.Rev.D54:7067-7070,1996.

- [25] T.Armstrong *et al.*,
“Precision measurements of anti-proton proton forward elastic scattering parameters in the 3.7-GeV/c to 6.2-GeV/c region”, Phys. Lett. **B385**, 479 (1996).
- [26] T.Armstrong *et al.*,
“Measurement of the Branching Ratios $\psi' \rightarrow e^+e^-$, $\psi' \rightarrow J/\psi\pi\pi$ and $\psi' \rightarrow J/\psi\eta$ ”,
Phys.Rev.D55:1153-1158,1997
- [27] T.Armstrong *et al.*,
“Two body neutral final states produced in $\bar{p}p$ annihilations at $2.911 \text{ GeV} \leq \sqrt{s} \leq 3.686 \text{ GeV}$ ”,
Phys. Rev. **D56**, 2509 (1997).
- [28] R.Mussa *et al.* (for the E760 collaboration),
“Recent results on Charmonium formation from Experiment 760 at FNAL”,
Proceedings LEAP 94, Bled, September 1994 (World Scientific).
- [29] M.Anselmino, F.Caruso, R.Mussa,
“The polarization of the χ_2 in $p\bar{p}$ annihilation: massless QCD versus diquarks”,
Phys.Rev.D 45(1992),4340
- [30] T.Armstrong *et al.*,
“Proposal to continue the study of charmonium production in proton-antiproton annihilations (revised proposal P-835)”
Fermilab-P-835-Rev (1992)
- [31] F.Bertolino *et al.*,
“The NA48 Trigger Supervisor Design”,
Proceedings of the VIII Conference on real-time computer applications in nuclear, particle and plasma physics, Vancouver (1993), pagg.432-437
- [32] R.Mussa *et al.*,
“Development of a Cylindrical Scintillating Fiber Tracker for Experiment E835 at FNAL”,
Nucl.Inst. and Methods, A360(1995),13
- [33] D.Bettoni *et al.*,
“Experimental Study of a Cylindrical Scintillating Fiber Detector”,
IEEE Trans. on Nuclear Science, 42(1995)379

- [34] M.Ambrogiani *et al.*,
“Construction and Performance of a Cylindrical Scintillating Fiber Tracker for Experiment E-835 at FNAL”,
IEEE Trans. Nucl. Sci. **44**, 460 (1997).
- [35] M.Ambrogiani *et al.*,
“Results from the E835 Cylindrical Scintillating-Fiber Tracker”,
Proceedings “SCIFI 97”, Notre Dame, November 1997, pagg.181-188
- [36] M.Ambrogiani *et al.*,
“Performance Measurements of Histe-V VLPC Photon Detectors for E835 at FNAL”,
Proceedings “SCIFI 97”, Notre Dame, November 1997, pagg.355-360
- [37] M. Ambrogiani *et al.*,
“Results from the E835 scintillating fiber detector”,
Nucl. Instrum. Meth. **A419**, 632 (1998).
- [38] M. Ambrogiani *et al.*, “The E835 Scintillating Fiber Tracking Detector,” Nucl. Phys. Proc. Suppl. **61B** (1998) 384.
- [39] W. Baldini *et al.*, “The Charged Trigger Of The Experiment E835 At Fermilab,” Nucl. Instrum. Meth. A **449** (2000) 331.
- [40] W. Baldini *et al.*, “The New Scintillating Fiber Detector Of E835 At Fermilab,” Nucl. Instrum. Meth. A **461** (2001) 219 [IEEE Trans. Nucl. Sci. **48** (2001) 1122].
- [41] M. Ambrogiani *et al.* [E835 Collaboration],
“Measurements of the magnetic form factor of the proton in the timelike region at large momentum transfer,” Phys. Rev. **D60**(1999),032002
- [42] M. Ambrogiani *et al.* [E835 Collaboration],
“Study of the $\chi_0(1^3P_0)$ state of charmonium formed in $p\bar{p}$ annihilations,” Phys. Rev. Lett. **83**, 2902 (1999).
- [43] M. Ambrogiani *et al.* [E835 Collaboration],
“Measurement of the branching ratios $\psi' \rightarrow e^+e^-$, $\psi' \rightarrow J/\psi\pi^0\pi^0$ and $\psi' \rightarrow J/\psi\eta$,” Phys. Rev. D **62** (2000) 032004.
- [44] M. Ambrogiani *et al.* [E835 Collaboration],
“Search for the $\eta'_c(2^1S_0)$ charmonium resonance,”
Phys. Rev. D **64** (2001) 052003.
- [45] M. Ambrogiani *et al.* [E835 Collaboration],
“Study of the angular distributions of the reactions $p\bar{p} \rightarrow \chi_{c1}, \chi_{c2} \rightarrow J/\psi\gamma \rightarrow e^+e^-\gamma$,”
Phys. Rev. D **65** (2002) 052002.
- [46] S. Bagnasco *et al.* [E835 Collaboration],
“New Measurements of The Resonance Parameters of the $\chi_0(1^3P_0)$ State Of Charmonium,” Phys. Lett. B **533** (2002) 237.

- [47] R. Mussa (on behalf of E835 collaboration),
“E835 Results on χ states of charmonium,”
Proceedings 31st Int. Conf. on High Energy Physics (ICHEP 2002), Elsevier Science,
in pubblicazione.
- [48] V. Carassiti *et al.*,
“The mechanism inserting the target cell of HERMES experiment”
Nota tecnica INFN/TC-99/15
- [49] A. Airapetian *et al.* [HERMES Collaboration],
“Observation of a single-spin azimuthal asymmetry in semi-inclusive pion electro-
production,”
Phys. Rev. Lett. **84** (2000) 4047
- [50] K. Ackerstaff *et al.* [HERMES Collaboration],
“Nuclear effects on $R = \sigma(L)/\sigma(T)$ in deep inelastic scattering,”
Phys. Lett. B **475** (2000) 386
- [51] A. Airapetian *et al.* [HERMES Collaboration],
“Measurement of longitudinal spin transfer to Lambda hyperons in deep-inelastic
lepton scattering,”
Phys. Rev. D **64** (2001) 112005
- [52] A. Airapetian *et al.* [HERMES Collaboration], “Exclusive lepton production of rho0
mesons from hydrogen at intermediate virtual photon energies,” Eur. Phys. J. C **17**
(2000) 389 [arXiv:hep-ex/0004023].
- [53] A. Airapetian *et al.* [HERMES Collaboration],
“The Q^2 -dependence of the generalised Gerasimov-Drell-Hearn integral for the
proton,”
Phys. Lett. B **494** (2000) 1
- [54] A. Airapetian *et al.* [HERMES Collaboration],
“Hadron formation in deep-inelastic positron scattering in a nuclear environment,”
Eur. Phys. J. C **20** (2001) 479
- [55] A. Airapetian *et al.* [HERMES Collaboration], “Double spin asymmetry in the cross
section for exclusive rho0 production in lepton proton scattering,”
Phys. Lett. B **513** (2001) 301
- [56] A. Airapetian *et al.* [HERMES Collaboration],
“Multiplicity of charged and neutral pions in deep-inelastic scattering of 27.5-GeV
positrons on hydrogen,”
Eur. Phys. J. C **21** (2001) 599

- [57] A. Airapetian *et al.* [HERMES Collaboration],
“Single-spin azimuthal asymmetries in electroproduction of neutral pions in semi-inclusive deep-inelastic scattering,”
Phys. Rev. D **64** (2001) 097101
- [58] A. Airapetian *et al.* [HERMES Collaboration],
“Measurement of the beam spin azimuthal asymmetry associated with deeply-virtual Compton scattering,”
Phys. Rev. Lett. **87** (2001) 182001
- [59] R.Cester, M.Mostafà, R.Mussa, “LIDAR Telescopes for Atmospheric Monitoring,”
Nota Interna Progetto AUGER GAP-2001-**052**
- [60] A. Filipcic *et al.*
“Pierre Auger Atmospheric-Monitoring LIDAR System,”
Proceedings 27.a International Cosmic Ray Conference (ICRC-2001) ,
Hamburg(Germany),pagg.784-787,Copernicus Gesellschaft 2001
- [61] R. Mussa, “Open And Hidden Charm Spectroscopy And Decays: An Overview,”
AIP Conf. Proc. **618** (2002) 329.
- [62] A.Boeher, N.Brambilla, M.Kraemer, R.Mussa, A.Vairo
Documento programmatico sugli obiettivi del Working Group sugli Heavy Quarkonia,
2001
(<http://alephwww.physik.uni-siegen.de/quarkonium/aims.html>)